



CARTER CT45

Crawler Excavator



Powerful, Reliable Performance and Low Energy Consumption





Carter Are Quality Excavators Using The Best Components



CARTER CT45 Crawler Excavator



| Specifications | CT45 |
|-----------------------------|---------------------|
| Operating Weight | 4.2 Tonne |
| Bucket Capacity | 0.17 m ³ |
| Engine Model | YANMAR 4TNV88 |
| Rated Power | 27/2200 kw/r/min |
| Max. Flow | 128 L/min |
| Working Pressure | 24.5 Mpa |
| Fuel Tank Capacity | 82 Litres |
| Hydraulic Oil Tank Capacity | 85 Litres |
| Travel Speed | 2.7/4.4 km/h |
| Swing Speed | 12 r/min |
| Max. Climbing Degree | 58% |
| Arm Digging Force | 21.6 KN |
| Bucket Digging Force | 23.7 KN |
| Average Grounding Pressure | 35 Kpa |

| Overall Dimension | CT45 |
|-------------------------------------|---------|
| A - Overall Length | 5385 mm |
| B - Overall Width | 1750 mm |
| C - Overall Height (to top of boom) | 1890 mm |
| D - Overall Height (to top of cab) | 2455 mm |
| E - Counterweight Ground Clearance | 600 mm |
| F - Min. Ground Clearance | 350 mm |
| G - Tail Swing Radius | 1561 mm |
| H - Track Ground Length | 1710 mm |
| J - Track Length | 2190 mm |
| K - Track Gauge | 1400 mm |
| L - Track Width | 1750 mm |
| M - Track Shoe Width | 350 mm |

| Working Range | CT45 |
|--|---------|
| O - Max. Digging Height | 5030 mm |
| P - Max. Dumping Height | 3365 mm |
| Q - Max. Digging Depth | 3390 mm |
| R - Max. Vertical Wall Digging Depth | 2545 mm |
| T - Max. Digging Reach | 5523mm |
| U - Max. Digging Reach at Ground Level | 5413 mm |



6A Sloper Avenue
Frankton, Hamilton 3204

hamiltondiggers@gmail.com
www.carterexcavators.co.nz

021 1154 722



*Reliable Machine With Low Energy Consumption
Perfect For New Zealand's Tough Conditions*

CARTER CT45 Crawler Excavator

Carter CT45 Excavator is ISO Control Pattern with an Extremely Smooth and Powerful Hydraulic System that has Proven Reliability.

Rubber Mounted Cab for a more comfortable Environment to work. Built to last with low-cost service and maintenance and perfect for New Zealand's tough conditions.

- Operating **Weight: 4.2 Tonne**
- Genuine Yanmar 3TNV88F Engine
- Load Sensing Hydraulics
- Pivot Boom
- KYB Final Drives
- KYB Pump 128Lpm
- KYB Main Control Block
- Hydraulic Quick Hitch
- Push Button Start
- Dual AUX/PTO
- Rubber Tracks
- Air Conditioning, Heater, Windscreen Wiper
- Radio with Bluetooth and USB
- Enclosed ROPs Cab
- Dual Auxilliary Hydraulics Standard
- Fire Extinguisher
- LED Work Lights
- First Service Filters Kit & Oil
- Tool Kit

3 Year/3000 Hour Manufacturers Warranty
5 Year/5000 Hour Limited Warranty

PACKAGE DEAL AVAILABLE

300mm Trench Bucket
500mm Rock/Digging Bucket
1400mm Tilt Bucket
Hydraulic Quick Hitch



6A Sloper Avenue
Frankton, Hamilton 3204



hamiltondiggers@gmail.com
www.carterexcavators.co.nz



021 1154 722

ATTACHMENTS AVAILABLE



Ripper



Post Driver



Stump Grinder



Shears



Grab Bucket



Weed Rake



Hedge Trimmer



Tree Saw



Rock Breaker



Bucket

**PROUDLY
NEW ZEALAND
OWNED
& OPERATED**



6A Sloper Avenue
Frankton, Hamilton 3204



hamiltondiggers@gmail.com
www.carterexcavators.co.nz



021 1154 722